

TATA STEEL



LoadSafe Platforms



LoadSafe
PLATFORMS

LoadSafe Platforms

PUTTING YOUR WORKFORCE SAFETY FIRST

2000
SERIOUS INJURIES

EVERY YEAR AROUND 2000 DRIVERS AND WORKERS ARE SERIOUSLY INJURED IN FALLS FROM VEHICLES. LOADSAFE HAS BEEN SPECIFICALLY DESIGNED TO PREVENT THESE INJURIES



Standard LoadSafe platform range

The Tata Steel LoadSafe platform has been manufactured in line with industry regulating standards P.U.W.E.R 1998 & B.S 4592 (Part 1) to withstand 5kn per m³ of downward force to ensure the maximum level of safety when loading and unloading from trailers.

Designed using cold-formed steel sections these lightweight and mobile structures have been engineered to encourage a safer working environment.

- Allows safe access to secure loads without accessing the trailer bed to reduce the risk of falls when working at height



- Stairway and handrail at each end of the platform for easy access
- Can be either anchored into location or fitted with wheels and footbrakes to suit confined spaces or uneven ground
- Easily manoeuvred into position by one or two people (depending on platform length)



Standard 6m LoadSafe platform

Standard 12m LoadSafe platform

Standard LoadSafe dimensions

Model	Length	Height	Width
LS 2	2m	1.150m	0.7m
LS 4	4m	1.150m	0.7m
LS 6	6m	1.150m	0.7m
LS 8	8m	1.150m	0.7m
LS 12	12m	1.150m	0.7m

Permanent LoadSafe platform range

The LoadSafe range has been extended to include a ground fixed unit where the platform glides into position on rails.

- Platform sat on 2 simple rocker bearings allowing level access on rough and uneven ground

- Linear bearings enable platform to be manoeuvred into position with ease
- Stability maintained with use of water filled IBCs to counterbalance weight
- Stairways and handrails at each end for safe access



One person operation



LoadSafe Bespoke

LoadSafe platforms are made to order and can be adapted for use in confined spaces or where the ground is uneven.

To ensure we deliver the best design to meet your needs we conduct a full site survey. If our standard range doesn't meet your needs we can design a bespoke solution.



Wheel guide track support used on uneven ground





Safe and easy access for the loading and unloading of flat bed trailers.

The LoadSafe platform from Tata Steel Construction Products has been designed to protect your workforce by providing safe easy access to trailer bed vehicles.

Every year around 2000 drivers and workers are seriously injured in falls from vehicles.

Employers have a duty of care under the 2005 Working at Height Regulations to assess the risks from working at height and to use appropriate equipment to prevent accidents.

LoadSafe has been specifically designed to satisfy these requirements.

- Platform specification and design managed by Construction Products following full site consultation
- Standard trial platforms available for site testing prior to purchase
- Continuous technical support offered after delivery of platforms to ensure complete customer satisfaction

Call us today and discover
why **LoadSafe** platforms can
provide easier and **safer working!**

Contact

Richard on +44 (0) 1633 464164
or Neil on +44 (0) 1633 752143

cep.loadsafe@tatasteel.com
www.tatasteelcp.com



www.tatasteel.com

While care has been taken to ensure that the information contained in this brochure is accurate, neither Tata Steel Europe Limited nor its subsidiaries accept responsibility or liability for errors or information which is found to be misleading.

Tata Steel Construction Products

Llanwern Works
Newport
South Wales,
NP19 4QZ
United Kingdom
T: +44 (0) 1633 290011
F: +44 (0) 1633 464508
E: cep.loadsafe@tatasteel.com
www.tatasteelcp.com