



- NOTES:**
1. RATE OF CHANGE OF SET-BACK MUST NOT EXCEED 1 in 16.
  2. SEE DRAWINGS VL/00 & VL/01 FOR DETAILS ON THE DETERMINATION OF SET-BACK AND WORKING WIDTH.
  3. SYSTEM PROGRESSION TO BE WITHIN LENGTHS L2 & L6
  4. FOR TERMINAL DETAIL SEE TABLE ON DWG. No VL/02

\* SEE NOTE 3

WORKING WIDTH (mm)	SAFETY FENCE CODE					
	FENCE TYPE					
1701 +	L1	L2	L3	L4	L5	L6
	W5					
1301 - 1700	L1	L2	L3	L4	L5	L6
	W5					
1001 - 1300	L1	L2	L3	L4	L5	L6
	W5	W4	W3	W3	W4*	
801 - 1000	L1	L2	L3	L4	L5	L6
	W4	W3	W2	W2	W3*	

  

Rev No	Revision Notes	Rev. Date	By
7	Note 3 was L6 only	14/08/07	RP
6	L3 was 10m and note added ref. L1 & L6	18/12/06	RP
5	W5 working width added to chart	13/12/06	RP

**Corus Distribution & Building Systems**

**CORUS**

CORUS CORP. ILLANWERN WORKS  
NEWPORT, S. WALES, UK, NP19 4QZ

Sales tel: +44 (0) 1633 290011 Fax: +44 (0) 1633 464508  
Technical tel: +44 (0) 1633 752100 Fax: +44 (0) 1633 464508  
© Corus email: [sales@corusgroup.com](mailto:sales@corusgroup.com)

DESCRIPTION	CENTRAL RESERVE N2 DUAL SINGLE-SIDED - FENCE LAYOUT		
CUSTOMER	VETEX		
PRODUCT	31/08/05		
DATE	MAH	CHECKED	MRL
DRAWN	DRG. No. SH. REV.		
SCALE	VL05 1 7		