





PLAN VIEW OF BARRIER



SIDE VIEW OF BARRIER



- NOTES:**
1. FOR DETAILS OF ALTERNATIVE POSTS, FOUNDATIONS AND FIXINGS SEE DRG No. VGA01
 2. THIS TYPE OF BARRIER SHALL NOT BE USED WHERE THE FULL HEIGHT LENGTH (EXCLUDING P1's & P4's) IS LESS THAN 20M.
 3. THIS TYPE OF BARRIER SHALL NOT BE USED ON CURVES OF RADIUS LESS THAN 50m. FOR RADII LESS THAN 50m CONTACT CORUS CEP.
 4. WHERE A KERB IS REQUIRED THE PREFERRED HEIGHT IS 75mm. MAX HEIGHT IS 125mm.



Corus Distribution & Building Systems

CORUS CEP, LLANWERN WORKS
NEWPORT, S. WALES, UK, NP19 4QZ

CORUS

Sales tel: +44 (0) 1633 290011 Fax: +44 (0) 1633 464508
Technical tel: +44 (0) 1633 752100 Fax: +44 (0) 1633 464508
© Corus email: info@corus.co.uk

DESCRIPTION

N2 W5, 4.0M CTRS, SINGLE SIDED

CUSTOMER

PRODUCT

Vetex

DATE

29/07/05

DRAWN

MAH CHECKED MRL

SCALE

NTS

DRG. No.

VGA40

SH. REV.

1 5

Rev. No	Revision Notes	Rev. Date	By
5	Note added advising the standard Socket length. Note 2 modified, notes 3 & 4 added.	20/12/06	R.P.
4	Drawing Redrawn	16/10/06	R.P.
3	Plan View Revised	24/04/06	R.L.